HERITAGE POULTRY FEED



18% CHICK START-N-GROW (AMP)

MEDICATED - A COMPLETE STARTER AND GROWER FEED FOR MEAT AND EGG TYPE CHICKS.

Chickens (replacements) – As an aid in prevention of coccidiosis where immunity to coccidiosis is not desired.

Chickens (broilers) – As an aid in prevention of coccidiosis. Active Drug Ingredient: Amprolium 113.50 g/ton (0.0125%)

GUARANTEED ANALYSIS

Crude Protein (min.)	18.00%	Salt (min.)	0.20%
Lysine (min.)	0.85%	Salt (max.)	0.70%
Methionine (min)	0.34%	Sodium (min.)	0.15%
Crude Fat (min.)	3.50%	Sodium (max.)	0.65%
Crude Fiber (max.)	6.00%	Vitamin A (min.)	6,000 IU/lb.
Calcium (min.)	0.90%	Vitamin D (min.)	1,400 IU/lb.
Calcium (max.)	1.40%	Vitamin E (min.)	15 IU/lb.
Phosphorous (min.)	0.55%		

FEEDING DIRECTIONS - CRUMBLE

Replacements – feed from hatch until 16 weeks of age when birds are ready to begin laying eggs. Switch to ProHeritage Natural Egg Layer at 16 weeks of age. Broilers – Feed from hatch to market weight.

FEATURES AND BENEFITS

- For starting and growing baby chicks for egg and/or meat (broiler) production.
- Can also be recommended as a starter feed for:
 - Specialty fowl bantams, guineas, peafowl
 - Waterfowl
- Formulated to promote chick health:
 - Amprol mediated for prevention of coccidiosis.
 - Prebiotics and Probiotics added.
- Balanced and fortified for growth and development
 - Chelated trace minerals & Organic selenium
- Available bag and bulk

16% NATURAL EGG LAYER

A COMPLETE FEED FOR WHITE AND BROWN EGG LAYERS.

GUARANTEED ANALYSIS

Crude Protein (min.)	16.00%	Salt (min.)	0.25%
Lysine (min.)	0.70%	Salt (max.)	0.75%
Methionine (min)	0.30%	Sodium (min.)	0.15%
Crude Fat (min.)	3.50%	Sodium (max.)	0.65%
Crude Fiber (max.)	6.00%	Vitamin A (min.)	6,000 IU/lb.
Calcium (min.)	3.80%	Vitamin D (min.)	1,400 IU/lb.
Calcium (max.)	4.80%	Vitamin E (min.)	15 IU/lb.
Phosphorous (min.)	0.50%		

FEEDING DIRECTIONS - CRUMBLE OR PELLET

Feed free choice from 16 weeks of age throughout the egg production period.

FEATURES AND BENEFITS

- All natural with added vitamins, trace minerals and amino acids
- For brown or white egg layers 16 weeks of age and throughout the egg production cycle.
 - Recommended for breeders too
- Promotes health in a natural way:
 - Prebiotics and Probiotics added.
- Eco-friendly natural enzymes added to improve feed utilization and reduce environmental waste
- Balanced and fortified to support egg production
 - Chelated trace minerals & Organic Selenium
 - Superior egg shell quality
- Available in crumble or pellet as well as bag or bulk





28% GAME & MEAT BIRD STARTER (AVT)

MEDICATED - A COMPLETE STARTER FEED FOR GAMEBIRDS AND TURKEYS.

Chukar Partridges – For prevention of coccidiosis caused by Elimeria legionensis. Turkeys (growing) – For prevention of coccidiosis caused by Elimeria legionensis, Elimeria gallopavonis, Elimeria adenoeides.

Active Drug Ingredient: Lasalocid 113.00 g/ton

GUARANTEED ANALYSIS

Crude Protein (min.)	28.00%	Salt (min.)	0.20%
Lysine (min.)	1.60%	Salt (max.)	0.70%
Methionine (min)	0.75%	Sodium (min.)	0.15%
Crude Fat (min.)	3.50%	Sodium (max.)	0.65%
Crude Fiber (max.)	6.00%	Vitamin A (min.)	6,000 IU/lb.
Calcium (min.)	0.90%	Vitamin D (min.)	1,400 IU/lb.
Calcium (max.)	1.40%	Vitamin E (min.)	15 IU/lb.
Phosphorous (min)	0.70%		

FEEDING DIRECTIONS - CRUMBLE

Gamebirds – feed from hatch until 8 weeks of age. Switch to Pro Heritage 22% Game & Meat Bird Developer (BMD) at 8 weeks of age.

Turkeys (growing) – feed from hatch until 8 weeks of age. Switch to Pro Heritage 22% Game & Meat Bird Developer (BMD) at 8 weeks of age.

22% GAME & MEAT BIRD DEVELOPER (BMD)

MEDICATED - A COMPLETE GROWER FEED FOR GAMEBIRDS AND TURKEYS.

Quail – For the prevention of ulcerative enteritis in growing quail due to Clostridium colinum susceptible to Bacitrium Methylene Disalicylate.

Turkeys (growing) – As an aid in the control of transmissible enteritis in growing turkeys complicated by organisms susceptible to Bacitrium Methylene Disalicylate. Active Drug Ingredient: Bacitrium Methylene Disalicylate 200.00 g/ton

GUARANTEED ANALYSIS

Crude Protein (min.)	22.00%	Salt (min.)	0.20%
Lysine (min.)	1.15%	Salt (max.)	0.70%
Methionine (min)	0.65%	Sodium (min.)	0.15%
Crude Fat (min.)	3.50%	Sodium (max.)	0.65%
Crude Fiber (max.)	6.00%	Vitamin A (min.)	6,000 IU/lb
Calcium (min.)	0.90%	Vitamin D (min.)	1,400 IU/lb
Calcium (max.)	1.40%	Vitamin E (min.)	15 IU/lb.
Phosphorous (min.)	0.60%		

FEEDING DIRECTIONS - CRUMBLES

Gamebirds - feed from 8 weeks of age to release.

Turkeys (growing) - feed from 8 weeks of age to market weight.

Feed free choice from 16 weeks of age throughout the egg production period.

FEATURES AND BENEFITS

- Complete starter for Gamebirds (Quail, Chukar, Pheasant) as well as Turkey Poults from hatch to 8 weeks of age.
- Formulated to promote health:
 - Avatec mediated for prevention of coccidiosis.
 - Prebiotics and Probiotics added.
- Balanced and fortified for growth and development
 - Chelated trace minerals & Organic Selenium
 - For Gamebirds, designed to produce well feathered strong flight birds
 - For turkeys, nutrient dense to support rapid weight gains and healthy lean meat.
- Available bag or bulk

FEATURES AND BENEFITS

- Complete developer for Gamebirds (Quail, Chukar, Pheasant) as well as Turkeys.
- Formulated to promote health:
 - BMD mediated for prevention of enteritis.
 - Prebiotics and Probiotics added.
- Balanced and fortified for growth and development
 - Chelated trace minerals & Organic Selenium
 - For Gamebirds, designed to produce well feathered strong flight birds from 8 weeks to release.
 - For turkeys, nutrient dense to support rapid weight gains and healthy lean meat from 8 weeks to market.
- Available bag or bulk

ALSO AVAILABLE: A COMPLETE LINE OF FREECHOICE MINERALS & TUBS

HERITAGE POULTRY FEED

18% GAME & WATER FOWL CONDITIONER

A COMPLETE FEED FOR GROWING AND MATURE GAMEBIRDS, GAMEFOWL AND WATERFOWL.

GUARANTEED ANALYSIS

Crude Protein (min.)	18.00%	Salt (min.)	0.20%
Lysine (min.)	0.92%	Salt (max.)	0.70%
Methionine (min)	0.50%	Sodium (min.)	0.15%
Crude Fat (min.)	3.00%	Sodium (max.)	0.65%
Crude Fiber (max.)	6.00%	Vitamin A (min.)	6,000 IU/lb.
Calcium (min.)	0.90%	Vitamin D (min.)	1,400 IU/lb.
Calcium (max.)	1.40%	Vitamin E (min.)	15 IU/lb.
Phosphorous (min.)	0.50%		

FEEDING DIRECTIONS - PELLET

Gamebirds (pheasants, chukar) - feed from 12 weeks to release.

Gamefowl – feed from 5 weeks to maturity Waterfowl – feed from 5 weeks to maturity

FEATURES AND BENEFITS

- Complete conditioner feed for Gamebirds (Pheasant, Chukar), Gamefowl and Waterfowl.
- Formulated to promote muscle and feather development, while avoiding excess weight gains.
- Balanced and fortified for a healthy body condition
 - Chelated trace minerals & Organic Selenium
 - Prebiotics and Probiotics added.
- 100% Pelleted and non-mediated to maximize flexibility of feeding birds in various conditions:
 - Chukar/Pheasant flight pen feeders
 - Gamefowl/Waterfowl in pan or gravity feeders
 - Available in bag or bulk

21% PASTURE POULTRY BALANCER PELLET

A COMPLETE ALL NATURAL FEED FOR RASING PASTURE POULTRY FLOCKS.

GUARANTEED ANALYSIS

Crude Protein (min.)	21.00%	Salt (min.)	0.20%
Lysine (min.)	1.10%	Salt (max.)	0.70%
Methionine (min)	0.45%	Sodium (min.)	0.15%
Crude Fat (min.)	3.00%	Sodium (max.)	0.65%
Crude Fiber (max.)	6.00%	Vitamin A (min.)	6,000 IU/lb.
Calcium (min.)	2.50%	Vitamin D (min.)	1,400 IU/lb.
Calcium (max.)	3.00%	Vitamin E (min.)	15 IU/lb.
Phosphorous (min.)	0.65%		

FEEDING DIRECTIONS - PELLET

Feed continuously as the sole ration to growing and laying pasture poultry flocks.

FEATURES AND BENEFITS

- All natural with added vitamins, trace minerals and amino acids
- Designed to support the nutritional needs of pasture poultry which are free ranging and foraging:
 - Feed as sole ration to egg laying flocks
 - Option to blended 2/3 Pellet 1/3 Grain for growing flocks
- Promotes health in a natural way:
 - Prebiotics and Probiotics added.
- Eco-friendly natural enzymes added to improve feed utilization and reduce environmental waste
- Balanced and fortified to support egg and meat production
 - Chelated trace minerals & Organic Selenium
- Available in bag or bulk







40% SWINE & POULTRY SUPPLEMENT FEATURES AND BENEFITS

ALL NATURAL SUPPLEMENT FOR MIXING COMPLETE SWINE AND POULTRY FEEDS GUARANTEED ANALYSIS

40.00%	Salt (min.)	0.75%
2.60%	Salt (max.)	1.25%
0.87%	Sodium (min.)	0.50%
2.00%	Sodium (max.)	1.00%
6.00%	Selenium (min.)	0.60 ppm
2.75%	Zinc (min.)	400 ppm.
3.75%) •
	2.60% 0.87% 2.00% 6.00% 2.75%	2.60% Salt (max.) 0.87% Sodium (min.) 2.00% Sodium (max.) 6.00% Selenium (min.) 2.75% Zinc (min.)

FEEDING DIRECTIONS - MASH

S	wine Mixing Directions- I	Feed as the	sole ration	n as indicate	d below:	
Ï	Diet Protein	20.0%	16.5%	14.0%	13.75%	15.5%
P	Pig bodyweight (lbs.)	18-50	50-150	150-Mkt	Gestation	Lactation
(Corn	60.0%	72.0%	80.0%	80.0%	72.5%
4	0% Swine & Poultry	27.5%	28.0%	20.0%	17.5%	25.0%
S	tart Booster Low Lysine	12.5%				1
S	low Booster HP-50				2.5%	2.5%
т	Cotal 0/	100 00/	100 00/	100.0%	100 00/	100 00/

Poultry Mixing Directions-Feed as the sole ration as indicated below:

Laver/Breeder

Phosphorous (min.)

Diet Protein	22.0%	20.0%	18.0%	17.0%
Corn	55.0%	62.5%	70.0%	62.5%
40% Swine & Poultry	45.0%	37.5%	30.0%	29.5%
Limestone/Oyster Shell				8.0 %
Total %	100.0%	100.0%	100.0%	100.0%

BLEND OF GRAINS WHICH PROVIDE SUPPLEMENTAL ENERGY TO POULTRY DIETS.

5-GRAIN SCRATCH

GUARANTEED ANALYSIS

Crude Protein (min.)	8.30%
Crude Fat (min.)	4.30%
Crude Fiber (max.)	7.50%

Crude Protein (min.)

7.80% 2.10% Crude Fat (min.) Crude Fiber (max.) 2.50%

FEEDING DIRECTIONS

For poultry over 4 weeks of age, top dress the normal diet to provide supplemental energy. Do not exceed 10% supplementation of the normal diet with scratch grains

- All natural supplement with added vitamins, trace minerals and amino acids
- Mixing directions show how to make both swine and poultry complete feeds using home grown grains.
 - Start Boost Low Lysine and Sow Boost HP-50 are both Akey addtives
- Balanced and fortified for swine and poultry requirements.
 - Chelated trace minerals & Organic Selenium
 - Prebiotics and Probiotics added.
- Eco-friendly natural enzymes added to improve feed utilization and reduce environmental waste
- Available in bag or bulk

FEATURES AND BENEFITS

5-GRAIN SCRATCH Crack Corn, Whole Wheat, Oats, Milo, **Black Oil Sunflower Seeds**

2-GRAIN SCRATCH Crack Corn, Whole Wheat



